

Make the most of your in between

KNOW YOUR HEALTHCARE TEAM

Cystinosis can affect multiple organs and body functions. That means you may need to see a variety of doctors. It's helpful to know what each of the medical professionals on your team does so you know the best person to contact if challenges and questions arise.

The list below includes some doctors and healthcare providers you may currently see or need to see in the future. Other professionals, like dietitians and mental health therapists, may play an important role on your healthcare team. This team might change over time.



Nephrologist

Specializes in the kidneys. You will likely see this doctor regularly.

- **Pediatric nephrologist**
Specializes in nephrology in children; often makes the initial diagnosis and directs medical care through the teenage years
- **Adult nephrologist**
Specializes in nephrology in adults. Some patients transition to this new nephrologist as they approach adulthood



Transplant surgeon

Performs transplant operations. People with cystinosis who need kidney transplants will see a transplant surgeon.



Endocrinologist

Specializes in the endocrine system, which includes the production of hormones that regulate growth, metabolism, and sexual development. Endocrinologists address issues like diabetes and problems with the thyroid and growth hormones.



Gastroenterologist

Specializes in the digestive system, including trouble swallowing.



Geneticist

Can confirm a diagnosis of cystinosis and analyze genetic tests conducted during pregnancy.



Neurologist

Specializes in disorders of the nervous system. A neurologist addresses neuromuscular issues that often begin in the teen years in someone with cystinosis.



Ophthalmologist

Specializes in care of the eyes. Monitors the eyes for formation of cystine crystals and other complications that may affect the cornea and retina.



Orthopedist

Treats injuries, deformities, and diseases in the muscles and bones that may arise from nutrient loss and weakened bones.



Pediatrician/Internist

Provide general medical care.

SELECT IMPORTANT SAFETY INFORMATION

What is PROCYSBI (Pro-CIS-bee)?

PROCYSBI® (cysteamine bitartrate) delayed-release capsules is a prescription medicine used to treat a medical condition called nephropathic cystinosis, in adults and children 1 year of age and older. It is not known if PROCYSBI is safe and effective in children under 1 year of age.

Who should not take PROCYSBI?

Do not take PROCYSBI if you are allergic to penicillamine or cysteamine.

Please see additional IMPORTANT SAFETY INFORMATION on the last page.

**PROCYSBI**[®]
(cysteamine bitartrate)
delayed-release capsules

WHO ARE THE PLAYERS ON YOUR HEALTHCARE TEAM?

.....

Doctor or healthcare provider's name: _____

Specialty: _____

Phone/email: _____

Medicines prescribed by this provider:

Doctor or healthcare provider's name: _____

Specialty: _____

Phone/email: _____

Medicines prescribed by this provider:

Doctor or healthcare provider's name: _____

Specialty: _____

Phone/email: _____

Medicines prescribed by this provider:

Doctor or healthcare provider's name: _____

Specialty: _____

Phone/email: _____

Medicines prescribed by this provider:



Doctor or healthcare provider's name: _____

Specialty: _____

Phone/email: _____

Medicines prescribed by this provider:

Doctor or healthcare provider's name: _____

Specialty: _____

Phone/email: _____

Medicines prescribed by this provider:

Doctor or healthcare provider's name: _____

Specialty: _____

Phone/email: _____

Medicines prescribed by this provider:

Doctor or healthcare provider's name: _____

Specialty: _____

Phone/email: _____

Medicines prescribed by this provider:

IMPORTANT SAFETY INFORMATION (continued)

What should I tell my doctor before taking PROCYSBI?

Before you take PROCYSBI, tell your doctor if you:

- drink alcohol
- have a skin rash or bone problems
- have or have had stomach or bowel (intestinal) problems including ulcers or bleeding
- have a history of seizures, lack of energy, unusual sleepiness, depression or changes in your ability to think clearly
- have liver or blood problems
- have any other medical conditions
- are pregnant or plan to become pregnant. It is not known if PROCYSBI will harm your unborn baby. Tell your doctor right away if you think that you are pregnant. Talk with your doctor about the benefits and risks of taking PROCYSBI during pregnancy.
- are breastfeeding or plan to breastfeed. You should not breastfeed during treatment with PROCYSBI. Talk with your doctor about the best way to feed your baby if you take PROCYSBI.

Tell your doctor about all medicines that you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Know the medicines you take. Keep a list of them to show your doctor and pharmacist when you get a new medicine.

What should I avoid while taking PROCYSBI?

Do not drive or operate machinery until you know how PROCYSBI affects you. PROCYSBI can make you sleepy or less alert than normal.

Do not drink alcohol if you take PROCYSBI. Drinking alcohol while taking PROCYSBI may change how PROCYSBI works and may cause an increase in the amount of PROCYSBI in your blood that may cause serious side effects.

What are the possible side effects of PROCYSBI? PROCYSBI can cause serious side effects, including:

- **Skin, bone, and joint problems.** People treated with high doses of cysteamine bitartrate may develop abnormal changes of their skin and bones. These changes may include stretch marks, bone injuries (such as fractures), bone deformities, and joint problems. Check your skin while taking PROCYSBI. Tell your doctor if you notice any skin changes or problems with your bones or joints. Your doctor will check you for these problems.

- **Skin rash.** Skin rash is common with cysteamine bitartrate and may sometimes be severe. **Tell your doctor right away if you get a skin rash.** Your dose of PROCYSBI may need to be decreased until the rash goes away. If the rash is severe, your doctor may tell you to stop taking PROCYSBI.
- **Stomach and bowel (intestinal) problems.** Some people who take other medicines that contain cysteamine bitartrate develop ulcers and bleeding in their stomach or bowel. **Tell your doctor right away** if you get stomach-area pain, nausea, vomiting, loss of appetite, or vomit blood.
- **Central nervous system symptoms.** Some people who take other medicines that contain cysteamine bitartrate develop seizures, depression, and become very sleepy. The medicine may affect how your brain is working (encephalopathy). Tell your doctor right away if you develop any of these symptoms.
- **Low white blood cell count and certain abnormal liver function blood tests.** Your doctor should check you for these problems.
- **Benign intracranial hypertension** (pseudotumor cerebri) has happened in some people who take immediate-release cysteamine bitartrate. This is a condition where there is high pressure in the fluid around the brain. Your doctor should do eye examinations to find and treat this problem early.

Tell your doctor right away if you develop any of the following symptoms while taking PROCYSBI: headache, buzzing or “whooshing” sound in the ear, dizziness, nausea, double vision, blurry vision, loss of vision, pain behind the eye or pain with eye movement.

The most common side effects with PROCYSBI include vomiting, nausea, stomach (abdominal) pain, breath odor, diarrhea, skin odor, tiredness, skin rash, headache, and problems with body salts or electrolytes.

Tell your doctor if you have any side effect that bothers you or that does not go away. These are not all of the possible side effects of PROCYSBI. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-FDA-1088.

Please see the FDA-approved labeling for PROCYSBI, including Instructions for Use, available at PROCYSBI.com.